BILL NO. S-78-09- 38

4200

1

2 3

4

5

6

7

8

9

10

11 12

13

14

15

16

SPECIAL ORDINANCE NO. S- 176-78

AN ORDINANCE approving Civil City Purchase Order Nos. 4-03057 with Ernst Truck Equipment, No. 4-03058 with Allen County Motors, Inc., and No. 4-03059 with Hite Equipment Repair, Inc. for equipment for the Street Department.

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That the Civil City Purchase Orders, numbered and listed below, dated September 1, 1978, between the City of Fort Wayne, by and through the Director of Purchasing and the Board of Public Works and the following yendors for the purchase of equipment for the Street Department in the amounts as hereafter set out, all as more particularly set forth in said Purchase Orders, which are on file in the Office of the Department of Purchasing and are by reference incorporated herein and made a part hereof, be and the same is in all things ratified, confirmed and approved, respectively, to wit:

PU NUMBER	EQUIPMENT	VENDUR	AMOUNT
4-03057	Two 1977 Dump Bodies	Ernst Truck Equipment	\$ 7,566.40
4-03058	Four 1979 Ford heavy duty dump trucks equipped with front mounted snow plows, spreader, crankshaft P.T.O. hydraulic system	Allen County Motors, Inc.	\$160,281.32
4-03059	One 1978 UNI-MOG Model MB-494 case four wheel drive tractor with front "V" snow plow	Hite Equipment Repair, Inc.	\$ 31,995.00

TOTAL \$199,842.72

AMOUNT

SECTION 2. That this Ordinance shall be effective upon passage and approval by the Mayor.

VENDOD

APPROVED AS TO FORM AND LEGALITY. dry at TORNEY

COULDMENT

28 29

26

27

30

31 32

Read the fi	rst time in full and	on motion by	y	, seconded by
Hanle	, and duly	adopted, rea	d the second time b	y title and referred to the
Committee on	Frie	re	(and the City	Plan Commission for
recommendation)	and Public Hearin	g to be held a	ifter due legal notic	e, at the Council Chambers,
City-County Build	ling, Fort Wayne,	Indiana, on	,	theday
of	, 19.	_, at	o'clock	W.,E.S.T.
DATE:	9-26-78	•	CITY CLE	pk Illistermore
Read the th	drd time in full and	d on motion b	y	rgo,
seconded by				aced on its passage.
PASSED (LOST)	) by the following	vote:		
	AYES	NAYS	ABSTAINED	ABSENT TO-WIT:
TOTAL VOTES	9		-	·
BURNS	<u> </u>			
HINGA				
HUNTER				
MOSES				
NUCKOLS			-	
SCHMIDT, D.				
SCHMIDT, V.				
STIER				
TALARICO				
DATE:	10-10-78		Charles C	W. Utesterman
Passed and	adopted by the Co	mmon Counc	il of the City of For	t Wayne, Indiana, as
(ZONING MAP) (	GENERAL) (ANN	EXATION) (S	SPECIAL) (APPROI	PRIATION) ORDINANCE
(RESOLUTION) N	10. d-176-	78 on the _	18th de	y of Ostebec, 198.
Physles U	). Utesterma	ATTEST:	Samuel	& Talarico
CITY CLER			PRESIDIN	G OFFICER
Presented 1	by me to the Mayor	of the City o	f Fort Wayne, Indi	ana, on the //th_
day of <i>Osl</i>	to 1978	o at the hour o	f //.39 o'cloc!	« <u>Н.</u> м., Е. S. Т.
			Charles U	Letesterman
Approved a	and signed by me t	his	th day of	October , 1978
at the hour of	3:00 o'clo	ock	) yı., E	
			MAYOR	Malions
			MAIOR	1/

S-78-09-38 REPORT OF THE COMMITTEE ON FINANCE We, your Committee on \_\_\_\_ Finance \_\_\_\_ to whom was referred an Ordinance approving Civil City Purchase Order Nos. 4-03057 with Ernst Truck Equipment, No. 4-03058 with Allen County Motors, Inc., and No. 4-03059 with Hite Equipment Repair, Inc. for equipment for , the Street Department have had said Ordinance under consideration and beg leave to report back to the Common Council that said Ordinance WILLIAM T. HINGA - CHAIRMAN VIVIAN G. SCHMIDT - VICE CHAIRMAN JOHN NUCKOLS PAUL M. BURNS FREDRICK R. HUNTER CONCURRED IN

CHARLES W. WESTERMAN, CITY CLERK

## Memorandum

	Memoranaom
	To H. P. Wehrenberg, Board of Public Works Date September 1, 1978
	From Purchasing Department
	Subject Bid Reference Number 854 - Dump Bodies
COPIES TO:	
G. Neu	Enclosed you will find Bid Documents - Bid Number 854 - relating to Purchase Order Number 4-03057, which is prepared in favor of Ernst Truck Equiptment, for two (2) Dump Bodies, in the amount of \$7,566.40.
	The Following documents are attached in support of the recommendation for acceptance of Ernst's offer.
JOARD OF PUBLIC WO	1. Copy of Tabulation Sheet
TREE ST	2. Copy of Mailing List
SEP 5 1378	3. Copies of Two (2) Bids received
01370	4. Copy of Memorandum from Street Department
and and	5. Purchase Order
NOTED	As the Bid Tabulation Sheet indicates Ernst Truck was the lower of the two (2) bids received. Six (6) Vendors were mailed Invitations to Bid. Only Ernst Truck and W. A. Jones & Sons responded. The successful bidder has meet all specifications, as required, and has been reviewed and approved by the Street Department.
HPW.	Would you please process all of the attached documents for Council Approval.
E.H.L.	
M.GS.	Jaya Bales
Date	Gaye Bales - Buyer
	Approved: Richard & Buyler Richard F. Bugher Director of Purchases
	RFB/lje

bulation of Bid	Two (2) new but not necessary (	Without Woder Dumb Boures	1	
d Reference No.: 854 osing Date 8/24/78 @ 11:00 A.M.	Net Price One (1) Unit	Net Price Two (2) Units		
rnest Truck Body Works 727 McDonald Street ort Wayne, Findiana Lal M. Ball Band	3783.20 2760k De Lech	7566.40		
efner Chevrolet 00 East State Street ort Wayne, Indiana				
Corte Brothers afayette at Murray Street Fort Wayne, Indiana	,			-
Delphi Body Works Co. Box 30 Delphi, Indiana	-			
Bluffton Truck Company 817 North Main Street Bluffton, Indiana 46714			·	
W.A. Jones & Son 307 South Main Street \$536.42 Columbia City, Indiana -Cat UK. Pheable Hosbut	5.364.28	10, 128.56		

# RECORDS OF BIDS ISSUED TO BIDGERS

310 NO.\_\_\_854\_\_\_\_

ITEM: Dump Bodies				
DEPARTMENT: Street Depart	ment			
OPEN DATE: 8-24-78 TIME:				
5 22-10	A.M.			
VENDOR NAME & ADDRESS	DATE - NAME BID PICKED UP	CARDS MAILED	BID MAILED	RETURA
Delphi Body Works			0101.	
P.O. Box. 30	•		18/7/18	
Delphi, Indiana			1 / 1/10	
Ernst Truck Equipment	8/9/74		İ	
2727 McDonald Street	1			1.
Fort Wayne, Indiana	D . O			8/,1
	8/9/79 Devil Landy			11.0%
Crumback-Symon Chevrolet 624 U.S. Hwy, 30 - East	0			-
New Haven, Indiana				
	•		1	
Truck Transportation Equip.				
2500 West Coliseum Blvd.			1	•
Fort Wayne, Indiana				
			-	
Bluffton Truck Company,			alcha	
817 North Main Street			8/9//8	- 41
Bluffton, Indiana 46714	,		1 11	
	The state of the s			
W.A. Jones & Son			0/0/00	11
307 South Main Street			18/9//81	8//8/,
Columbia City, Indiana			1 1/10	. " / '
State Equipment Company, Inc.			1	
5620 Industrial Road Fort Wayne, Indiana 46825				
101 t wayne, murana 40820				
Vefner Chemolet	8/10/78			
The state of	0, , , ,			
	DIAPTE			
-	Mex Clippion			
Enti Brothere,	8/15/98			
Coti Brothers Laborate et Munay &	This tring			
) V 0	1 Nonvin			
	U			
	-			
			!	

# CITY OF FORT WAYNE FORM DP23 5-48 DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind.
INVITATION 46802

Operations, subject to the conditions on the reverse hereal, are requested on the following list of

materials, surplies, equipment or services, for the department as mentioned, with delivery to destination as above below. Operations shall include all charges for delivery, packing, etc. Accress your repty as

DEPARTMENT OF PURCHASES

"Mail all rolls and R.F. Bugher-423-7037

Room '470, Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO: Department

or Division Street Department 1701 South Lafayette Street

Fort Wayne Indiana 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE Closing Thursday, August 24, 1978 at 11:00 A.M.

Time of Bida TAISSI THE CIT IS ELECT TROM FEDERAL LIGIS AND BEDIANA STATE SALES TAI. THE CIT'S INDIANA SALES TAX TEXAPTION

Page 1 of 6

Data \_\_ August 3 1978

Per. No. \_\_854

Date wanted .

Appropriation No.

Burg

46802

Casacity	Unit	Manufala, Supplies, Zquiyment or Services	Drive Price	Total Armers
	,	÷		
		y 1		
		Two (2) New but not necessarily Current Model Dump Bodies as per attached Specifications.	7.	: .
		All Specifications & Questionnaires must be fully completed for consideration.		•
	ď		378322	9 7564,
		270 eash or 10 Day Dise allowed. In stock.		
		de stock.		
		Affirmative Action: 6 File Attached:		
Bid Bond :	beriupe	NO YES 500 Performance Bond NO YES		* The substance

PROPOSAL OR BID

In compliance with the above invitation for hids and subject to all conditions thereof, the understand offers and arrows, if this hid by accorded within a respective time from two of closure, to forming any or all of the items or render runn serrows upon which prices are quested, in accordance with the manifequences amplying and at the price set opposite seed, lies, Delivery of any or all of the items or completion of services indicated shall be made within days from receipt of order IMPORTANT TO As delivery may be a deciding farmy in the furnish the information represent above. award of an order, it is important that bidders

Two (2) New But Not Necessarily Current Yodel Dump Bodies The Dump Body Furnished Under These Specifications Shall Have The Following Minimum Specifications.

15Ft. Length -

Width -7 Ft.

Capacity - 12 Yd.

Headlift T 73132 telescopic hoist - 29 ton or equal

- 1/2 Cab Shield

2 Gear P.T.O.

Omaha Orange Color

Controls, lights, flaps, installation and Warranty are to be included.

Total Price One (1) Unit:

\$70-Tax in Less Tax:

Less Discount:

\$3783.20 Net Price One (1) Unit: \$7566.40 Net Price Two (2) Units:

chitock . Intwitten 30 Days.

# Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year: 1976-77 Model: Make: Ferfection Model: 15B 5/3
1.	Length: 15
2.	Width: 7'
3.	Capacity: 10 To- 12 40
4.	Headlift: 773/32 Heallift
5.	Shield: "z Cab
6.	P.T.O.: 2 San 870
	color: Anaka Orange

FCRM DP23 5-68

### CITY OF FORT WAYNE DEPARTMENT OF PURCHASES

46802

Number One Main St., Ft. Wayne, Ind. INVITATION

Contactions, subject to the conditions on the reverse hereof, are required on the following list of materials, surples, suppressed or services, for the department as meaning, with delivery to destination as above below. Quotations that include all charges for delivery, packing, etc. Access your reply as minimately below.

\*Mail all replies and R.F. Bugher-423-7037 DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO:

Department or Division Street Department 1701 South Lafavette Street

Fort Wayne Indiana 46803 RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Closing Thursday, August 24, 1978 at 11:00 A.M. Time of Bids.

TAXES: THE CITY IS VIRIET FROM FIDERAL RIGHE AND DIDLANA STATE SALES TAX. THE CITY'S DIDLANA SALES TAX REDEPTION CHARLES NUMBER IN NO. MARK PRICES SHOULD NOT INCLUDE THESE TAXES & "TRANSPORMS to Belder!" No. 10 on inverse hereof for deadle.

TAX EXEMPT (The less otherwise indicated)

Caustity	Unit	Materials, Supplies, Zquiyment or Services	Unit Pries	Assert
• •		Two (2) New but not necessarily Current Model Dump Bodies as per attached Specifications.  All Specifications & Questionnaires must be fully completed for consideration.	5,364, 28	\$10,728.5
		*		
		Affirmative Action: on file Attached:		-
Bid Bond	required	NO YES 500 Performance Bond NO. TES		

		AI	111mat1	ve Ac	ction:	on file	A	ttached:					•	
Bid Bond			, E		5%			ance Bond		723				
Terma	0 %	ta3h	discount	if paid	l within	instruction items 30 days	from del	ivery and	accept	ance of g	ro sboor	elqmo	to cot	services.

PROPOSAL OR BID In compliance with the above invitation for blds and rubbet to all conditions thread, the underlyined offers and agrees, if this bid be accorded within a pronouncing time from the of closure, to formula any or aired the items or render none services upon which prices are quoted, in accordance with the modifications apporting and as the prices set optoms sent item.

Delivery of any or all of the items or completion of services indicated shall be made within\_days from receipt of order IMPORTANT E As delivery may be a deciding factor in the award of an order, it is important that biddens furnish the information requested above.

Emme	rtit	gai.	pmer	nt, I	Inc.			
DBA/	W.	A	Jone	s &	Son			
11	11/1	2000	15.	2000 06-10 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Ti m	Pro	siden	+
						Life and annihology		M
Address	307	S .	Maı	n St	•	************		
C17	Colu	idmi	a C	ity,	In.		Date 8-1	4-7

Page 1 of 6

Ref. No. \_\_ 854

Date wanted \_

Appropriation No.

Fund

Data August 3 1978

Two (2) New But Not Necessarily Current  $^{1}$ -Oadel Dump Bodies The Dump Body Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- 1. Length 15Ft.
- Width 7 Ft.
- 3. Capacity 12 Yd.
- 4. Headlift T 73132 telescopic hoist 29 ton or equal
- 5. Shield 1/2 Cab
- 6. P.T.O. 2 Gear
- 7. Color Omaha Orange

Controls, lights, flaps, installation and Warranty are to be included.

Total Price One (1) Unit:	\$5,364.28
Less Tax:	S <sub>none</sub>
Less Discount:	ș NA
Net Price One (1) Unit:	\$5,364.28
Net Price Two (2) Units:	\$10.728,56

Delivery:	6	months			
Warranty:	90	day	conditional		

#### Memorandum

To Henry P. Wehrenberg, Board of Works

Date September 1, 1

From Gerald P. Neu, Street Commissioner

Subject Bid - 2 Dump Bodies

COPIES TO:

On August 24, 1978, bids were open for 2 current model dump bodies. Bidding was the Ernest Truck Body Works, 2727 McDonald Street, Fort Wayne, Indiana and the W. A. Jones & Son, 307 South Main Street, Columbia City, Indiana. Ernest Truck Body Works was the low bid of \$7,566.40.

Therefore, I would like to take this opportunity to recommend purchase of 2 dump bodies from the Ernest Truck Body Works.

Gerald P. Neu, Street Commissioner

GPN:isf

OHW

FORM DP-3 APPROVED BY THE STATE BOARD OF ACCOUNTS FOR THE CITY OF FORT WAYNE 1985.

# CITY OF FORT WAYNE

NUMBER ONE EAST MAIN STREET **ROOM 470** 

FORT WAYNE, INDIANA 46802

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS ETC. TO:

Street Department

1701 South Lafavette Street Fort Wayne, Indiana

 Ernst Truck Equiptment 2727 McDonald Street Fort Wayne, Indiana 46803

DELIVER TO:-DEPARTMENT OR DIVISION

City Controller

Street Department

1701 South Lafavette Street Fort Wayne, Indiana 46803 ADDRESS\_

CASH DISCOUNT TERMS % IF PAID WITHIN DAYS FROM DELIVERY AND ACCEPTANCE OF GOODS OR PERFORMANCE OF SERVICES. (DEDUCTION FOR DISCOUNT SHOWN BELOW)

PURCHASE ORDER NUMBER 03057

DATE September 1, 1978 REF. NO.

REO. NO. 4633

DEPT

THE ABOVE INFORMATION MUST APPEAR ON ALL INVOICES, BILLS OF LADING, DELIVERY TICKETS. PACKAGES AND CORRESPONDENCE. INVOICE IN DUPLICATE.

THIS PURCHASE ORDER ISSUED BY:

Purchasing Dept.

DATE WANTED As soon as possible

APPROPRIATION AND FUND 28-880-722 NUMBER

	QUANTITY ORDERED	UNIT	MATERIALS, SUPPLIES OR SERVICES	PRICE	AMOUNT
			TAX EXEMPT (UNLESS OTHERWISE INDICATED)		
COMPLIANCE WITH THE DELIVERY DATE REQUESTED WILL A- VOID "FOLLOW UP" CORRESPONDENCE.	. 2		1977 Dump Bodies Perfection Model PSB513		\$7,566.40
NOTE			Delivery - In Stock		-
READ			Mounted within thirty (30) days A. R. O.		
INSTRUCTIONS ON THE BACK OF THIS ORDER		-	Subject to Councilmanic Approval		
THE CONTRACTOR OR VENDOR, BY ACCEPTING THIS ORDER, AGREES TO THE GENERAL CONDITIONS AND TERMS OF AGREEMENT ON THE BACK OF THIS ORDER.					
UNLESS OTHERWISE INDICATED THE PRICES SHOWN INCLUDE ALL CHARGES FOR DELLY ERY, PACKING, ETC., NECESSARY TO COM- PLETE DELIVERY TO DESTINATION SPECI- FIED.					
UNLESS OTHERWISE INDICATED THE PRICES SHOWN DO NOT INCLUDE TAXES OF ANY KIND.					
EXEMPTION BLANKS WILL BE FURNISHED WHEN NECESSARY.	-				
IND. SALES TAX EXEMP. CERTIF. NO. 34508					
IF THIS ORDER DOES NOT AGREE WITH YOUR QUOTATION KINDLY RETURN IT WITH AN EXPLANATION.			RFB/lje		

ERED BY UNENCUMBERED BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFOR HAS BEEN DULY AUTHORIZED AND APPROPRIATED.

IS AUTHORIZED BY A PROPERLY EXECUTED AND APPROVED REQUISITION ON FILE IN THIS OFFICE.

Director of Purchases

Per

ORIGINAL (1)

### Memorandum

			IM	emorana	JM			
	To H.P.	Wehre	enberg, Bo	ard of Public	2 Works		Date September	r 1, 1978
	From Purch	asing	g Departmen	t				
		Subject Bid Reference Number 853 - Single Axle Dump Trucks with accessories						
COPIES TO:								
Neu 🛴			vill find B Purchase O		- Bid Nur	mber 853	- relating to	D
		Purc	hase Order	4-03058 Alle	en County	Motors	\$160,281.32	
		Purc	chase Order	4-03059 Hit	e Equiptm	ent Repai	r \$31,995.0	0
	above Ver			are attached	to suppor	rt the ac	ceptance of	the
BOARD OF PUBL	C MOSK2	1.	Copy of t	he Tabulatio	n Sheet			
METER		2.	Copy of t	he Mailing L	ist			
SER 5	978	3.	Copies of	three bids				
The state of the s		4.	Copy of M	lemo from the	Street D	epartment		
A Land Carl Asia	B Shert Love	5.	Purchase	Orders				
OTED	additiona returned Memo of S	al Ver Bids Septer	ndors picke that could mber 1, 197	e mailed invited up without be consider'8, have aske led this Bid.	notifica red. The red that Al	tion. On Street De	Two (2) aly three epartment, pe ty Motors and	e <b>r</b> l
H.P.W.	Please m	nces	s all of th	e attached D	ocuments	for Counc	il Approval.	
] E.H.L.	r rease pr	.0000	J 411 01 01		_			
M.GS.				X	Janes	Bales		
Date					aye Bales			
	Approval		Pickad ard F. Bugh	1 Buzik per - Directo	nr of Purc	chases		
	RFB/lje							

G.

Bid Reference No.: 853 Closing Date 8-24-78 @ 11:00A.M.  Allen County Motors 2300 West Jefferson Blvd. Fort Wayne, Indiana 46804	1979 Single Axle Heavy Duty Dump 1979 Single Axle Heavy Duty Dump Truck, Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, Crankshaft P.T.O. Hydralic System One (1) Unit \$#.070.32 Four (4) Unit \$\$.40.28.32 Five (5) Unit \$\$.20,34.65	body Mounted Snow  au-  One (1) Unit \$  Four (4) Unit \$		* Included Paris of Annual Congress
Hefner Chevrolet 500 East State Blvd. Fort Wayne, Indiana	One (1) Unit \$ Four (4) Unit \$ Five (5) Unit \$	One (1) Unit \$ Four (4) Unit \$	\$ \$	
International Harvester 333 South Clinton Street Fort Wayne, Indiana 46802 bettle K. Bill Bonel	One (1) Unit *\$\frac{1/27.35}{1000}  Four (4) Unit *\$\frac{1/27.894.5.2}{1000}  Five (5) Unit *\$\frac{2.894.0.5}{1000}	Four (4) Unit \$	\$ 3378.00 \$13.312.00 \$16.61000	A Special of he co
Truck Engineering Company 3200 East Pontiac Street Fort Wayne, Indiana 46803	One (1) Unit \$  Four (4) Unit \$  Five (5) Unit \$	Four (4) Unit	\$ \$ \$	
Ernst Truck Equipment 2727 McDonald Street Fort Wayne, Indiana	One (1) Unit \$	One (1) Unit S Four (4) Unit S Five (5) Unit S	\$ \$ \$	
A A Attached  Hite Equipment & Repair 1321 West Jefferson Plymouth, Indiana 46563  And Callett Back Bond	1979 Unit \$31995.00  Four (4) Unit \$  Five (5) Unit \$	One (1) Unit S	Bill \$ \$ \$	54
Korte Brothers 335 East Murray Street Fort Wayne, Indiana 46803	One (1) Unit \$ Four (4) Unit \$ Five (5) Unit \$		\$ \$ \$	
Delphi Body Works P.O. Box 30 Delphi, Indiana	One (1) Unit \$ Four (4) Unit \$ Five (5) Unit \$	Four (4) Unit	s \$s	

# RECORDS OF BIDS ISSUED TO BIDDERS

- 3117° W	853				
TTEM:	Dump_truck	, Bodies,	Snow	Blades,	Etc
DEPAR	MENT:Stree	t Departm	ent.		21

OPEN DATE: 8/24/7/TIME: /	1:00 AM.			
VENDOR NAME & ADDRESS	DATE - NAME BID PICKED UP	CARDS MAILED	BID MAILED	RETURN
Allen County Motors 2300 West Jefferson Blvd. Fort Wayne, Indiana 46804	Ted Bollier 8-11-78	8/7/18		8/24/73
Hefner Chevrolet 500 East State Blvd. Fort Wayne, Indiana	Rex Clifton 8-10-78.	8/7/18		
General Truck Sales 5905 U.S. 30 East Fort Wayne, Indiana 46805		8/7/78	-	
International Harvester 333 South Clinton Street Fort Wayne, Indiana 46802	Mike Meehan 8/8/78	8/1/18	·	8/31/3
General Motors Corporation 10-166 G.M. Building Detroit, Michigan = 10802		NOT 1817 A	8/9/78	÷
Truck Engineering Company 3200 East Pontiac Street Fort Wayne, Indiana 46803	Dick Reinhart 8/9/78	8/7/78		
Deeds Equipment 8015 East 45th Street Lawrence, Indiana			8/9/78	
Fort Wayne Dodge, Inc. 100 U.S. Hwy. 30 Bypass - Wes Fort Wayne, Indiana		8/7/28	and the same of th	
Hi-Ranger 2314 Bowser Avenue P.O. Box 1309		8/1/18		
Delphi Body Works P.O. Box 30 Delphi, Indiana			8/9/78	

# RECORDS OF BIDS ISSUED TO BIDDERS

*				
-BIL NO. 853				
ITEA:				
DEPARTMENT:				
OPEN DATE: TIME:				
disconnected displaying the second				
VENDOR NAME & ADDRESS	DATE - NAME BID PICKED UP	CARDS MAILED	BID MAILED	RETURN
Ernst Trück Equipment 2727 McDonald Street Fort Wayne, Indiana	David Land	8/7/78		8/18/
Hite Greenant & Lynn 1321 West Jefferd Proposition Preprinthe Indiana	Janiy- Jackson' 8-15-15			8/24/2
Kites Brothere 3315 East Murry Mess 2	Mr. Jack King			
				•
				••
			1	
· ×		•		
of the last risks of point and point and agreement of the point of the			1	
	1	i	;	/

# 11111 JUNITY FORD IN UTUITY, 2300 WEST JEFFERSON ROAD · FORT WAYNE, INDIANA 46804 · PHONE 432-9545





August 23, 1979

Total for one unit

\$40,070.33

Total for four units

\$160,281,32

Total for five units

\$200,351.65

Bids for the Street Department on 4 or 5 single axle heavy duty dump trucks front mounted snow plow.hydraulic V bos material spreader, crankshaft P T O hydraulic system as per attached specifications.

Allen County Motors Inc 2300 W Jefferson Blvd Fort Wayne, Indiana 46804

Ted J Bollier, Fleet Manager

#### CITY OF FORT WAYNE 7CRM 0P23 5-66 DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind.
INVITATION 46802

Contations, subject to the conditions on the reverse hereof, are requested on the following list of manufals, supplies, equipment or services, for the department as mantioned, with fellivery to destination as shown below. Contations shall include all charges for delivery, packing, etc. Audieses your reply as Ref. No. \_\_853 Data August 3, 1978

Page 1 of 17

\*Mall all replies and correspondence, see to am of R.F. Bucher - 423-7037

DEPARTMENT OF PURCHASES 46802

Data wanted .

Room 470. Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO:

Fund Appropriation No.

Department Street Department

1701 South Lafayette Street

Fort Wayne, Indiana 46803 Address \_

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Closing

Time of Bids Thursday, August 24, 1978 at 11:00 A.M.

TAXES: THE CITY IS EXPORT FROM FIDERAL EXCISE AND INDIANA STATE SALES TAX, THE CITY'S INDIANA STATE SALES TAX EXHIPTION CHRESTOCKED NUMBER IS NO. 1404. PRICES SHOULD NOT INCLUDE THESE TAXES SHOULD SHOULD FIRST TAXES SHOULD NOT INCLUDE THE TAXES SHO

Quantity	Unit	Materials, Supplies, Zquiyment or Services	Unra Prise	Total America
	`		-	
*	i e	Four (4) or Five (5) New 1978 or 1979 Single Axle Heavy Duty Dump Truck, Front Mounted Snow Plow, Hydraulic "" Box Material Spreader, Crankshaft P.T.O. Hydraulic System as per attached Specifications.  Alternate #1  Four (4) or Five (5) Underbody Mounted Snow Scraper as per attached Specifications.  All Specification & Questionnaires must be fully completed for consideration.		
		Alternate Bid No. 1		
		Affirmative Action: Attached:	1	-
Bid Bond :		NO YES 50 Performance Bond T B 50 Decision lives No. 15 on traverside bond to	nlation of	

Bid Bond required	ок П	E -		5% See lasts	perion Item 1	Performanc	Bond	*0.V	Test				
Теттз%	cash	discount i	i paid	within	days	rom deliver	y and .	accepta	nce of a	roods or	completi	on of a	services
					PROPOS	SAL OR B	D						
In compliance with	لاء مالاه	ory invitation	for blds a	ed roblect to a	Il conditions	therman, the un	deral grand	offers an	i serom. 1	bid alds S	betreens ed	within a	- mannes

an component with the above impression compared to all conditions thereof, the uncompared offers and agrees, if this lid is accepted within a reasonable time from case of ecoung, to familia any or air of the local or render note services upon a prices are quoted, in accordance with the specifications applying and as the price set of the prices of the prices and then. Delivery of any or all of the items or completion of services indicated shall be made within\_days from receipt of order As delivery may be a deciding factor in the award of an order, it is important that hidden furnise the information requested above. EMPORTANT F Sign Zores

allen County Motors Inc.	
Tid V Briller	Fleet Manage
2300 W Jefferson Blvd	
Fort Wayne Indiana	8/23/78

Four (4) or Five (5) New 1978 or 1979 Single Axle Heavy Duty Dump Truck equipped complete with Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, and a Crankshaft P.T.O. Hydraulic System according to the Fort Wayne City Street Department Specifications. Any alternate maybe submitted for consideration.

Wheel	

Approx. 160"

2. Cab to Axle -

Approx. 84"

3. ~ Front Axle

Approx. 12000 Lb.

4. Front Springs

Approx. 14000 Lb.

5. Rear Axle

Approx. 23000 Lb.

6. Rear Springs

Approx. 23000 Lb.

7. Auxiliary Springs

Approx. 4000 Lb.

8. Brakes - Dual Air Brake system with spring actuated Park Brake

- 9. 12 or more C.F.M. Compressor
- 10. Tilt out front Hood with access hatches
- 11. Fresh Air Heater and Defrosters
- 12. Heavy Duty electric Windshield Wipers and Washers
- 13. Cab grab handles
- 14. Dual West Coast Mirrors
- 15. Air Horn
- 16. Bostrom Driver Seat
- 17. Individual Passenger Seat
- Automatic Padiator Shutters
- 19. H.D. Radiator compatable with Engine spec.
- 20. 80 Amo. Alternator
- 21. Pual 77 Amp. Batteries
- 22. Tachometer and Hour Meter
- 23. 6 Cylinder Diesel Engine 210 H.P.
- 24. Alcohol Evaporator
- 25. Kysor Engine Protection Alarm system or equal

- 26. Horizontal Muffler with shielded vertical exhaust
- 27. H.D. full reinforced Frame
- 29. Front Mount Crankshaft P.T.O. with adapter
- Extended front Bumper
- 30. Dual 50 Gal. Step Tanks with 23" ground clearance
- 31. Power Steering
- 32. 10:00 x 20 12 Ply M. & S. Rear Tires
- 33. M.T. 653 Dr. Allison Transmission or equal
- 34. Cast Wheel 7.50 Rims
- 35. Stemco type Seals front and rear
- 36. Service Manual
- 37. Line set ticket
- 38. 4 Heavy Duty Tow Hooks
- 39. Omaha Orange Color
- 40. Minimum 23" ground clearance for underbody
- 41. Blade installation
  - NOTE: Each attachment or componet of the unit shall be mounted independently of the other attachments. Each shall be mounted so that it does not interfere with the proper mounting or operation of the other attachments. No attachment shall interfere with any normal manintenance operation on the chassis.

Bidder to honor Warranty on vehicle and all equipment. Completed units to be F.O.B. Fort Wayne Street Department, 1701 South Lafayette Street, Fort Wayne, Indiana.

Bidders to state approximate date of delivery. A delivery date of 90 days is requested. Any delivery date in excess of the above must be submitted.

Delivery date is 90 to 180 days

### Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

	Year: 1979 Make: Ford Model: L 8000
1.	Wheel Base: 162
2.	Cab to Axle: 84
	Front Axle: 12000 1bs
4.	Front Springs: 72001bs/8000 1bs
5.	Rear Axle: 23000 Eaton 23121
6.	
7.	Auxiliary Springs: 2250 lbs
8.	Brakes: Air duel circut Ram W/spring xet parking brake
9.	Compressor: 12 CFM Bendix
10.	Hood: Butterfly opening
11.	Fresh Air Heater and Defrosters:
12.	Windshield Wipers and Washers: 2 speed electric
13.	Cab grab handles: right and left grab handles
14.	Dual West Coast Mirrors:
15.	Air Horn: Dueal air
16.	Bostrom Driver Seat:
17.	Individual Passenger Seat:
18.	Automatic Radiator Shutters:
19.	H.D. Radiator:
20.	Alternator: 90 AMP
21.	Batteries: 2 maintenance free 68 amp
22.	Tachometer and (Hour Meter: Hobbs)
23.	Diesel Engine: V 8 636 Eat 3208 210 HP
24.	Evaporator: B/W
25.	Alarm system or equal. Kyon

26.	Muffler: hourzonal muffler with/Vet pipe	
27.	Reinforced Frame: 75.7 551	
	Crankshaft: Power take off	
29.	Bumper: extension 8 1/2 inch	
	Step Tanks: 50 gal D 1 & R	
31.	Power Steering: \$55	
	Tires: . 1000 X 20 12 ply and mud snow rear	
33.	Transmission: Ellison M T 653	
34.	Cast Wheel: 7.5 Rims	
35.	Seals: steno front and rear	
36.	Service Manual: V£S	
37.	Line Set Ticket:	
38.	Tow Hooks: 4 front	
39.	Color:omaha Orange	
40.	Minimum 23" ground clearance for underbody:	
41.	Blade installation:	
	·	
	freight, gas, oil and get ready plus the total for the vehicle less Tax	27,781.00 2,344.73
	Total each unit	25,436.27
	Price for 4 units Price for 5 units	101.745.08 127,181.35
	Delivery date is 90 to 180 days	

12,570.30

#### Dump Body

The Dump Body furnished under these Specifications shall have the following minimum Specifications.

- 1. Length 10 ft.
- 2. Width 7 ft.
- 3. Capacity 5 Cu. Yd. with 6 Cu. Yd. ends
- 4. Hoist 14 Ton

Year:

- 5. Shield 1/2 Cab
- 6. Color Omaha orange
- 7. Clearance lights, reflectors and flaps to be included

Make:

Price for 5 units

Specifications Questionnaire

Bidders Proposal - Must Be Completed
By The Bidder

Model:

1.	Length:	
	Width:	
3.	Capacity:	
4.	Hoist:	
	Shield:	
6.	Color:	
	Clearance lights, reflectors and flaps to be included:	
	The Dump Body is per specifications mounted complete	
	Price for 4 units	10,056.24

# Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

Year:	1978	;	Make:	Hi-Way	Model:	E2020	
Body:	Steel "	V" Box Ho	oper Body	- enclosed sp	ecs.		
Conveyor:	10 gal	higrade s	teel with	replaceable o	convevor bot	tom 2/16"	steel
Chain:		No 2 Typ	le 24 " wi	dth roller t	pe 8 toot	h sprocket	t 2" shaft
		8 tooth	idler spro	cket - 1 1/2	' shaft - bå	lt over	
Spinner:_		Dia. 20"	ia. 20" - 10 gal 6 bolt on heat treated fins - telescopic				
		drive sh	aft - 4 se	ction baffle			
Hydraulic System: Series type - gear type motor to spinner - orbital							
		motor to	conveyor				
Drive:		Separate	hydraulic				
Accessori	es:	Screens	- belt ove	r chain - ch	ain oiler ]	Interted "	V.
		reduce p	ressure on	conveyor			
1		0			: 6:+:		
		•		to enclosed	-		
		Price mo	unted comp	lete our sho	ps, Lapaz, 1	Indiana :	\$4,236.00 e
			r 4 units r 5 units				16,944.00 21,180.00

#### Crankshaft P.T.O. Hydraulic System

The Central Hydraulic System Under These Specifications Shall Have The Following Minimum Specifications.

The hydraulic purp shall be capable of delivering a minimum of 26 G.P.M. at 2000 P.S.I. at normal truck engine speed. It shall be connected to the engine crankshaft pulley a double universal splined shaft, or any other method approved by the truck manufacturer. A universal joint flange, a kit necessary for the connecting of the pump to the crankshaft pulley shall be furnished by the truck manufacturer. The truck manufacturer shall also furnish as part of the crankshaft P.T.O. Kit, a heavy duty front burper extended a minimum of 9" forward of the radiator grill and a hood of such design so as to permit the installation of a front mounted snow plow and also the normal servicing of the truck engine.

A four section hydraulic bank valve having a minimum capacity of 29 G.P.M. at 2000 P.S.I. shall be installed outside the truck cab in such a manner so as to facilitate its servicing in a convenient manner. Control levers connecting to the bank valve shall be so installed in the cab at the drivers right side within a convenient reach of the driver or companion operator. The control levers shall be clearly marked so as to their function and each lever shall be easily disconnected at the bank so as to make each lever inoperative from the cab when it is so desired. The control levers shall be so adjusted so as to operate the front plow, underbody scraper and dump body. Provisions shall be made at the bank valve for power beyond to facilitate the installation of a spreader valve or any other hydraulic attachment of a similar nature. Each valve to be individually adjustable for pressure relief. A hydraulic 30 gallon oil reservoir tank of an approved type and of sufficient capacity shall be so installed to permit maximum cooling and convenient servicing. A replaceable 50 G.P.M. cartridge type oil filter with a 33 micron element shall be installed on the return line.

The hydraulic suction hose from the reservoir to the pump shall be a minimum 1 1/4" dia, with a 100R4 S.A.E. rating or better. The hydraulic pressure hose from pump to the valve bank shall be a minimum of 3/4" dia, with a 100P2 rating or better. The return hose to the reservoir and through the filter shall be a minimum 1" dia, with 250 P.S.I. rating or better. All lines shall be properly supported at all points and protected from chafing.

Any parts or components which are required for a complete operable hydraulic system shall be included.

All hoses, fittings, and component parts for connecting any hydraulic attachment such as the plow, scraper, dump box, etc., are to be supplied by the manufacturer of the particular attachment.

Deeds Equipment Central Hydraulics as specified above -------\$1,395.00 each Price for 4 units 5,580.00 Price for 5 units 6,975.00

#### Front Mounted Snow Plow

The Snow Plow Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- Moldboard length 10 ft.
- 2. Moldboard height 36 In.
- Moldboard thickness 10 Ga.
- 4. Cutting edge 1/2 In. x 6 In. x 9 ft. Standard A.S.H.O. Punch
- 5. Number and thickness of ribs 8 ribs 1/8 In. x 3 In.
- 6. Bottom reinforcing angle 5/8 In. x 3 In. x 4 In.
- 7. Top reinforcing angle 3/8 In. x 2 1/2 In. x 2 1/2 In.
- 8. Semi-circle 3/8 In. x 3 1/2 In. x 3 1/2 In.
- 9. Number and size of hinge points 4 of 1 In. dia.
- 10. Outside demension of hinge spread 77 In. min.
- 11. Two H.D. adjustable trip springs in protective steel cylinders
- 12. H.D. rubber snow shield
- 13. Screw adjustable ballbearing wheel with 4.80 x 8 In. 6 ply pneumatic tires on a swivel caster
- 14. Plow hydraulically adjustable to 7 plowing positions with 2 cylinder cab control
- 15. Weight plow only approximately 1500 lbs.

The plow shall be mounted to the front bumper with a 34 In. wide root quick hitch or equal. Reinforcing shall be at the bumper and truck frame. No attachment to the front axle will be permitted. The plow hitch shall be operated by its valve in the truck cab.

TO THE TITLE ONE (I) DILL.	4 3,161,00
Less Tax:	\$
Less Discount:	\$
Net Price Cne (1) Unit:	\$ 3,161.00
Grand Total Four (4) Units:	\$12,644.00
Grand Total Five (5) Units:	\$15,805.00

Total Price One (1) Imit:

Delivery: 90 to 120 days

Warranty: 6 months If frame needs to be extended, add \$350.00 each

# Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year:	1978	Make:	Root	Model: RT52 PR
1.	Moldboard le	ngth:		10 ft.	
2.	Moldboard he	ight:		36 In.	
3.	Moldboard Th	ickness:		10 Ga	
4.	Cutting edge	:		1/2 ir	X 7 in X 9 ft. standard ASHO Punch
5.	Number and t	hickness of r	ibs:	8 ribs	1/8 in. X 3 ins.
6.	Bottom reinf	orcing angle:		5/8 In	X 3 In X 4 In
7.	Top reinforc	ing angle:		3/8 In	. X 2 1/2 In. X 2 1/2 In.
8.	Semi-circle:			3/8 in	. X 2 1/2 In. X 3 1/2 Ins
9.	Number and s				Ins. Dia
10.	1 Hinge Spread	:		77 In.	Min.
					rip springs in protective steel cylinders
12.		_			
13.			ustable ballb		el with 4.80 X 8 In 6 ply pneumatic tire
14.	Adjustable h			aulically	adjustable to 7 plowing positions
15.	Weight - plo	w only: app	proximately 1	.500 lbs	OULTOI

#### Alternate No. 1

#### Underbody Mounted Snow Scraper

The Snow Scraper Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- 1. Moldboard length 10 ft.
- 2. Moldboard height 20 In.
- 3. Moldboard thickness 1/2" heat treated high carbon
- 4. Hinge board 10" wide, 30 lbs. per ft.
- 5. Hinge shaft D:A. 1 1/2"
- Actuating cylinders two H.D. 3" dia. double acting with cushion spring shock absorbers
- 7. Cutting edge two section 1/2" x 6" x 10 ft. standard O.S.H.O. punch
- 8. Snow scraper hydraulically adjustable to several positions
- 9. Weight Approximately 1400 lbs.
- 10. Power reverse actuated by one 3 3/4" diameter hydraulic cylinder

NOTE: The snow scraper shall be mounted directly to the frame of the truck by bolting with lock nuts and shall be operated by a control value in the cab. The truck manufacturer shall provide 23" of free clearance from ground to bottom of truck frame between the front and rear wheels.

The price of installing the Snow Scraper to Dump Truck shall be included in Bid.

Total Price One (1) Unit: \$ 3,328.00

Less Tax: \$

Less Discount: \$

Net Price One (1) Unit: \$ 3,328.00

Net Price Four (4) Units: \$ 13,312.00

Net Price Five (5) Units: \$ 16,640.00

#### Alternate No. 1

### Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

	Year: 1978	Make:	Root	Mode Node	1: <sub>F55 PR</sub>	
1.	Moldboard Length:		10 ft			
2.	Moldboard Height:		20 In.			
31	Moldboard Thickness:	1/2 " heat tre	ated high ca	rbon		
4.	Hinge Board:	10" wide, 30 1	bs per feet.			
5.	Hinge Shaft:	D:A - i 1/2"				
	Actuating Cylinders:		a double act	ing with cushion	spring shock	absorbers
	•			. standard OSHO		
8.	Snow Scraper:	vdraulically adj	ustable to s	everal positions	*	
9.	Weight: A	pproximately 140	00 lbs.			
	Hydraulic Cylinder:	Actuated by one	3 3/4" diame	ter hydraulic cy	linder	

#### CITY OF FORT WAYNE FORM OPES 5-68

DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 46802

INVITATION

Quotations, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the department as mandless, the delivery of administration as above below. Concations shall include all charges for delivery, needing, etc. Address your reply as indicated sectors.

"Mall all replies and correspondence, son, to am, of R.F. Bucher - 423-7037 DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. 46802 REQUIRED FOR DELIVERY TO:

Department Street Department 1701 South Larayette Street

Fort Wayne, Indiana 46803 Address ...

RETURN ORIGINAL TO THE CITY-RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bida (lecress) 24 Thursday at 11:00 A.M.

SALZE TAX THE CITT'S INDIANA SALES TAX MINIPION
E.S. See "Instructions to Edders" No. 10 on reverse bered for details.

Quantity	Unit	Materials, Sapplies, Equipment or Sarriese	Units Price	Total
	,			-
		Four (4) or Five (5) New 1978 or 1979 Single Axle Heavy Duty Dump Truck, Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, Crankshaft P.T.O. Hydraulic System as per attached Specifications.		:
		Alternate #1		
		Four (4) or Five (5) Underbody Mounted Snow Scraper as per attached Specifications.		
		All Specification & Questionnaires must be fully completed for consideration.		
	.		Ī	
	- 1	Alternate Bid No. 1		
		Affirmative Action: Attached:		
Bid Bond r	equired			
Terms	67, 5	25h discount if paid within days from delivery and accontance of goods or com-		

Bid Bond required	0 5	55	Performance				
		See in	struction lives No. 15 on reverse	alde berech	_		
retms %	cash discoun	t if paid within	daya irom deliver;	7 and acc	eptance of ;	goods or completion of s	ervices

PROPOSAL OR BID

In compliance with the above formation for bilds and subject to all conditions thereof, the undersigned offers and agrees, if this bild he accepted within a manuscable time from date of course, to formink any or aired the items or render such acrosses upon which prices are quoted, in accordance with the specifications appoint and at the process of course and time. Delivery of any or all of the items or completion of services indicated shall be made within days from receipt of order." As delivery may be a deciding factor in the award of an order, it is important that blooms furnish the information requested above. IMPORTANT

San Zores	
International Harvester	
Pro French on Market	Arent
333 So. Clinton St.	
ay Ft. Wayne, Irdian a	8/23/7

Page 1 of 17

Data August 3, 1978

Ref. No. \_\_853

Data wanted

Fund Appropriation No. - Four (4) or Five (5) New 1978 or 1979 Single Axle Heavy Duty Dump Truck equipped complete with Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, and a Crankshaft P.T.O. Hydraulic System according to the Fort Wayne City Street Department Specifications. Any alternate maybe submitted for consideration.

1. Wheel Base -

Approx. 160"

2. Cab to Axle -

Approx. 84"

3. Front Axle

Approx. 12000 Lb.

4. Front Springs

Approx. 14000 Lb.

5. Rear Axle

Approx. 23000 Lb.

6. Rear Springs

Approx. 23000 Lb.

7. Auxiliary Springs

Approx. 4000 Lb.

- 8. Brakes Dual Air Brake system with spring actuated Park Brake
- 9. 12 or more C.F.M. Compressor
- 10. Tilt out front Hood with access hatches
- 11. Fresh Air Heater and Defrosters
- 12. Heavy Duty electric Windshield Wipers and Washers
- 13. Cab grab handles
- 14. Dual West Coast Mirrors
- 15. Air Horn
- 16. Bostrom Driver Seat
- 17. Individual Passenger Seat
- 18. Automatic Padiator Shutters
- 19. H.D. Radiator compatable with Engine spec.
- 20. 80 Amp. Alternator
- 21. Dual 77 Amp. Batteries
- 22. Tachometer and Hour Meter
- 23. 6 Cylinder Diesel Engine 210 H.P.
- 24. Alcohol Evaporator
- 25. Kysor Engine Protection Alarm system or equal

- 26. Horizontal Muffler with shielded vertical exhaust
- 27. H.D. full reinforced Frame
- 28. Front Mount Crankshaft P.T.O. with adapter
- 29. Extended front Bumper
- 30. Dual 50 Gal. Step Tanks with 23" ground clearance
- 31. Power Steering
- 32. 10:00 x 20 12 Ply M. & S. Rear Tires
- 33. M.T. 653 Dr. Allison Transmission or equal
- 34. Cast Wheel 7.50 Rims
- 35. Stemco type Seals front and rear
- 36. Service Manual
- 37. Line set ticket
- 38. 4 Heavy Duty Tow Hooks
- 39. Omaha Orange Color
- 40. Minimum 23" ground clearance for underbody
- 41. Blade installation
  - NOTE: Each attackment or componet of the unit shall be mounted independently of the other attackments. Each shall be mounted so that it does not interfere with the proper mounting or operation of the other attachments. No attackment shall interfere with any normal manintenance operation on the chassis.

Bidder to honor Warranty on vehicle and all equipment. Completed units to be F.O.B. Fort Wayne Street Department, 1701 South Lafayette Street, Fort Wayne, Indiana.

Bidders to state approximate date of delivery. A delivery date of 90 days is requested. Any delivery date in excess of the above must be submitted.

Wet Price of truck per unit----- 5 26,088.27 Not price of emplete truck & all equipment 5 40,722.33

Frank total Four (1) Units----- 5 162,889.32 Frank total Five (5) Units----- 5 203,611.65

### Specifications Questionnaire Bidders Proposal - Must be Completed By The Bidder

1 480 10 UL 11

	Year: 1079 Make: Int'L Model: 1954					
1.	Wheel Base: 152"					
2.	Cab to Axle: 8h"					
3.	Front Axle: 12,000 lb					
4.	Front Springs: 11;,000 1b					
5.	Rear Axle: 23,000 lb					
6.	Pear Springs: 23,000 lb					
	Auxiliary Springs: 4,500 15					
8.	Brakes: Air brakes per specs					
9.	Compressor: 13! Compressor					
10.	Hood: Fiber class tilting hood & front fenders					
11.	Fresh Air Heater and Defrosters: per Specs					
12.	Windshield Wipers and Washers: Electric with washers					
13.	Cab grab handles:					
14.	Qual West Coast Mirrors: Yes					
15.	Air Horn: Yes					
16.	Bostrom Driver Seat: Yes					
17.	Individual Passenger Seat: Yes					
18.	Automatic Radiator Shutters: N.A. with front PTO adapter					
19.	H.D. Padiator: Yes					
20.	Alternator: 95 App alternator					
21.	Batteries: 3-12 701t 10h and hour M.F. batteries					
22.	Tachometer and Hour Meter: Yos					
23.	Diesel Enginery-166 cubic inch angine, 6 Cly., 210 F.P. diesel c	noine				
24.	Evaporator: Alcohol evaporator					
25.	Alarm system or equal: Kysoc alarm system.					

26.	Muffler: Hori, ontal muffler with vertical exhaust
27.	Reinforced Frame: Yes
28.	
29.	Bumper: 2h" front bumper extensions
30.	Step Tanks: 51 callon sincle right side mounted
31.	Power Steering: Ves
32.	Tires: 10-20 tires front ": dual rear, M % S type on rear
33.	Transmission: LF-650 Allison automatic
34.	Cast Wheel: Yes
	Seals: Stemco wheel seals
36.	Service Manual: Yes
	Line Set Ticket: Yes
	Tow Hooks: Yes
39.	Color: Ongha orenze
40.	Minimum 23" ground clearance for underbody: Yes
41.	Blade installation: At Deeds Equipment at LaPaz, Indiana

#### Dump Body

The Dump Body furnished under these Specifications shall have the following minimum Specifications.

- 1. Length 10 ft.
- 2. Width 7 ft.
- 3. Capacity 5 Cu. Yd. with 6 Cu. Yd. ends
- 4. Hoist 14 Ton
- 5. Shield 1/2 Cab
- 6. Color Omaha orange
- 7. Clearance lights, reflectors and flaps to be included

# Specifications Questionnaire Bidders Proposal - Must Be Completed By The Bidder

	Year: 1070	Make: Perfection	Model: Zly
1.	Length:	101	
2.	Width:	71	
3.	Capacity:	per specs	
4.	Hoist:	Cross rating 30,500 lbs	
5.	Shield:	per specs	
6.	Color:	Orange	
7.	Clearance light	ts, reflectors and flaps to be inc	cluded: Yes

Net price per body \$2,514.06

Specifications For Hydraulic "V" Box Material Spreader

General - The spreader shall consist of:

A steel "V" box hopper body; horizonal spinner mechanism; separate hydraulic motor drives for spinner and body conveyor; a rigid stredframework to support the body and spinner mechanism; necessary hardware recommended by manufacturer for mounting in a 10' x 7' dump. body.

The Spreader Shall Meet Or Surpass The Following Specifications:

- 1. Body: 10 Ga. hygrade steel with double crimped top edge interlined with formed channel. Body length shall be 10'. Body width shall be 80" or more. Body height shall be 50" or less. Body slope shall be not less than 45°. Hopper shall have 5.6 Cu. Yd. capacity water level full. Body and conveyor are to be electrically welded into a common solid unit. There shall be formed supporting jacks of 10 Ga. steel welded on 2' centers extending from the bottom support channels to the top of the sloping sides. The bottom support channels shall be 3" structual steel channel providing a rigid base for the longitudinals and supporting jacks. A 6" junior I beam shall extend from front to rear at the top center of hopper body and shall be welded in place thus providing a brace and hinge point for top screens. The rear of the hopper shall have an adjustable gate with a screw type jack allowing a positive gate setting.
- Conveyor: Shall be of 10 Ga. higrage steel formed channel with top edge formed down over conveyor chain providing a chain shield to prevent material from entering chain links. Conveyor bottom shall be a replaceable 3/16" steel plate.
- 3. Chain: Shall be of formed alloy steel with heat treated hardened steel pins. The chain shall have a 4" adjustment range. Drive assembly shall be minimum 6 tooth, selfcleaning drop forged sprokets keyed to 2" diameter drive shaft. It shall be driven by a spin gear box with minimum 6:1 reduction ratio with machine cut gears in a shielded housing and running in oil. The idler shaft shall be 1 1/2" diameter with minimum 6 tooth self cleaning sproket opposite the welded sprocket.
- 4. Spinner: Shall be 18" diameter or larger disc of 10 Ga. steel with 6 formed heat treated, replaceable flights. The disc is mounted on an easily replaceable hub connected directly to the gear type hydraulic drive motor. The drive motor shall be supported by formed heavy duty channel. Above the disc there shall be adjustable baffles to control direction of spread. The spinner hopper shall be fully enclosed and bolted to body sills. Drive shaft shall be telescopic providing serveral height adjustments. Housing to be vertically adjustable also. The entire subassembley shall be removable for easy storage and service.
- 5. Hydraulic System: The system shall be a variable speed spinner control to operate independly of conveyor speed. This control will be mounted outside of the spinner assembly to allow it to be pre-set and untouched by the operator. The oil not used by the spinner will go to the conveyor rotor to allow 100% of oil pumped to be used.

Conveyor speed will be a direct function of hydraulic pump output.

Manufacturer must supply an electric on-off switch in the cab. Relief valves must be present to insure componet safety from extremely high pressures. Central hydraulics will be furnished by city and spreader shall have necessary hoses, valving, and fittings to hook up to central hydraulic system.

- 6. Drive: Separate hydraulic "orbital" type motors for high starting and running torque at low speed shall power the spinner and conveyor gear box.
- 7. Accessories: Screens over hopper slightly elevated at the center allowing large objects to roll off the box. Unit to be equipped with "belt over chain" conveyor to protect conveyor and chain. An automatic chain oiler, if available, is also asked for. 4 section baffle system to control width and direction of speed. Inverted "V" adjustable to reduce load pressure on conveyor.

	Year:	1978	Make: Hi-Way	Model: E2020		_
	Body:	Steel "V" Box	Hopper Fody - End	closed Specs.		
					-	-
	Conveyor:	10 ga. higrad	e steel with repla	aceable conveyor	bottom 3/16"	_ _st
i.	Chain:	No 2 type 24"	width - roller ty	ype - 8 tooth sp	rocket - '2" s	<u>h</u> a f
		8 tooth idler	sprocket - 1½" sl	naft – belt over		_
1.	Spinner:_	dia. 20" - 10	ga. 6 bolt on hea	at treated fins	- telescopic	_
		drive shaft -	4 section baffle			_
· .	Hydraulic	System: Serie	s type - gear type	e motor to spinn	er - orbital	
		motor	to conveyor	· · · · · · · · · · · · · · · · · · ·		_
i.	Drive:	Separate hydr	aulic			٠.
	Accessori	es: Scree	ns - belt over cha	ain - <b>c</b> hain oile	r. Interted	"V"
		reduc	e pressure on con	veyor.		
	, '					-
	Complet	e according to	enclosed specifi	cations.		•
	Price M	oun ted complet	e our shops, Lapaz	. Indiana\$4	.236.00 each	

### Crankshaft P.T.O. Hydraulic System

The Central Hydraulic System Under These Specifications Shall Have The Following Minimum Specifications.

The hydraulic pump shall be capable of delivering a minimum of 26 G.P.M. at 2000 P.S.I. at normal truck engine speed. It shall be connected to the engine crankshaft pulley by a double universal splined shaft, or any other method approved by the truck manufacturer. A universal joint flange, a kit necessary for the connecting of the pump to the crankshaft pulley shall be furnished by the truck manufacturer. The truck manufacturer shall also furnish as part of the crankshaft P.T.O. Kit, a heavy duty front burper extended a minimum of 9" forward of the radiator grill and a hood of such design so as to permit the installation of a front mounted snow plow and also the normal servicing of the truck engine.

A four section hydraulic bank Yalve having a minimum capacity of 29 G.P.M. at 2000 P.S.I. shall be installed outside the truck cab in such a manner so as to facilitate its servicing in a convenient manner. Control levers connecting to the bank valve shall be so installed in the cab at the drivers right side within a convenient reach of the driver or companion operator. The control levers shall be clearly marked so as to their function and each lever shall be easily disconnected at the bank so as to make each lever inoperative from the cab when it is so desired. The control levers shall be so adjusted so as to operate the front plow, underbody scraper and dump body. Provisions shall be made at the bank valve for power beyond to facilitate the installation of a spreader valve or any other hydraulic attachment of a similar nature. Each valve to be individually adjustable for pressure relief. A hydraulic 30 gallon oil reservoir tank of an approved type and of sufficient capacity shall be so installed to permit maximum cooling and convenient servicing. A replaceable 50 G.P.M. cartridge type oil filter with a 33 micron element shall be installed on the return line.

The hydraulic suction hose from the reservoir to the pump shall be a minimum 1 1/4" dia. with a 100R4 S.A.E. rating or better. The hydraulic pressure hose from pump to the valve bank shall be a minimum of 3/4" dia. with a 100E2 rating or better. The return hose to the reservoir and through the filter shall be a minimum 1" dia. with 250 P.S.I. rating or better. All lines shall be properly supported at all points and protected from chafing.

Any parts or components which are required for a complete operable hydraulic system shall be included.

All hoses, fittings, and component parts for connecting any hydraulic attachment such as the plow, scraper, dump box, etc., are to be supplied by the manufacturer of the particular attachment.

#### Front Mounted Snow Plow

The Snow Plow Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- Moldboard length 10 ft.
- 2. Moldboard height 36 In.
- Moldboard thickness 10 Ga.
- 4. Cutting edge 1/2 In. x 6 In. x 9 ft. Standard A.S.H.O. Punch
- 5. Number and thickness of ribs 8 ribs 1/8 In. x 3 In.
- 6. Bottom reinforcing angle 5/8 In. x 3 In. x 4 In.
- 7. Top reinforcing angle 3/8 In. x 2 1/2 In. x 2 1/2 In.
- 8. Semi-circle 3/8 In. x 3 1/2 In. x 3 1/2 In.
- 9. Number and size of hinge points 4 of 1 In. dia.
- 10. Outside demension of hinge spread 77 In. min.
- 11. Two H.D. adjustable trip springs in protective steel cylinders
- 12. H.D. rubber snow shield
- 13. Screw adjustable ballbearing wheel with 4.80 x 8 In. 6 ply pneumatic tires on a swivel caster
- 14. Plow hydraulically adjustable to 7 plowing positions with 2 cylinder cab control
- Weight plow only approximately 1500 lbs.

The plow shall be mounted to the front bumper with a 34 In. wide root quick hitch or equal. Reinforcing shall be at the bumper and truck frame. No attachment to the front axle will be permitted. The plow hitch shall be operated by its value in the truck cab.

	Total Price One (1) Unit:	\$ 3,161.00
	Less Tax:	\$
	Less Discount:	\$
	Net Price One (1) Unit:	S 3,161.00
	Grand Total Four (4) Units:	\$12,644.00
	Grand Total Five (5) Units:	\$15,805.00
livery: 00 120 days		

	Year:	1978	Make:	Root	Model	RT52 F	PR		
1.	Moldboard	length:		10 ft.	***				
2.	Moldboard	height:		36 In.					
3.	Moldboard	Thickness:		10 Ga.					
4.	Cutting &d	lge:		½ In. x 6 In. x 9 ft. Standard ASHO Punch					
5.	Number and	l thickness of	ribs:	8 ribs 1/8	3 In. x 3 In.				
6.	Bottom rei	nforcing angl	e:	5/8 In. x	3 In. x 4 In.				
7.	Top reinfo	rcing angle:_		3/8 In. x 2 1/2 In. x 2 1/2 In.					
8.	Semi-circl	.e:		3/8 In. x 3 1/2 In. x 3 1/2 In.					
9.	Number and	l size of hinge	e points:	4 of 1 In. Dia.					
10.	Hinge Spre	ad:		77 In. mir	1.				
11.	Adjustable	trip springs	Two H.D.	adjustable	trip springs	in proto	ective stee		
12.	H.D. rubbe	r snow shield	:				cylind:		
13.	Whéel & Ti				wheel with 4	.80 x 8 1	n. 6 ply		
14.	Adjustable	hydraulic pl	ow: Plow hy	n a swivel draulically	adjustable t	o 7 plowi	ing positio		
15.	Weight - p	low only:	with 2 approxi	cylinder ca mately 1500	b control				

#### Underbody Mounted Snow Scraper

The Snow Scraper Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- 1. Moldboard length 10 ft.
- 2. Moldboard height 20 In.
- 3. Moldboard thickness -1/2" heat treated high carbon
- 4. Hinge board 10" wide, 30 lbs. per ft.
- Hinge shaft D:A. 1 1/2"
- Actuating cylinders two H.D. 3" dia. double acting with cushion spring shock absorbers
- 7. Cutting edge two section 1/2" x 6" x 10 ft. standard O.S.H.O. punch
- 8. Snow scraper hydraulically adjustable to several positions
- 9. Weight Approximately 1400 lbs.
- 10. Power reverse actuated by one 3 3/4" diameter hydraulic cylinder

NOTE: The snow scraper shall be mounted directly to the frame of the truck by bolting with lock nuts and shall be operated by a control value in the cab. The truck manufacturer shall provide 22" of free clearance from ground to bottom of truck frame between the front and rear wheels.

The price of installing the Snow Scraper to Dump Truck shall be included in Bid.

Total Price One (1) Unit: \$3,328.00

Less Tax: \$

Less Discount: \$

Net Price One (1) Unit: \$ 3,328.00

Net Price Four (4) Units: \$13,312.00

Net Price Five (5) Units: \$16,640.00

	Year: 1978	Make: Root Model: F55 PR
1.	Moldboard Length:	10 ft.
2.	Moldboard Height:	20 In.
3.	Moldboard Thickness:	1/2" heat treated high carbon
4.	Hinge Board:	10" wide, 30 lbs. per ft.
5.	Hinge Shaft:	D:A - 1 1/2"
6.	Actuating Cylinders:	two H.D. 3" dia. double acting with cushion spring
7.	Cutting Edge:	shock absorbers two section 1/2" x 6" x 10 ft. standard OSHO punch
8.	Snow Scraper:	hydraulically adjustable to several positions
9.	Weight:	Approximately 1400 lbs.
10.	Hydraulic Cylinder:	Actuated by one 3 3/4" diameter hydraulic cylinder

CITY OF FORT WAYNE DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 46802

INVITATION

Specializations, soldiers to the conditions on the reverse hereof, are repuested on the following list of materials, anythin, equipment or services, for the department as manufously, with delivery to destination as shown News, Consultants shall include all charges for delivery, packing, eq. Anothers your reply as foundated hereo.

\*Mail all roller and R.F. Bugner - 423-7037 DEPARTMENT OF PURCHASES

Room 470. Number One Main St., Ft. Wayne, Ind. 46802

REQUIRED FOR DELIVERY TO:

Department Street Department

1701 South Larayette Street

Address Fort Wayne, Indiana 46803

RETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bids Thursday, August 24, 1978 at 11:00 A.M.

TAXES, THE CITY IS EXEMPT FROM FEDERAL EXCESS AND INDIANA STATE SALES TAX THE CITYS INDIANA SALES TAX EXEMPTION CRETIFICATE NUMBER IS NO. MAIL PRICES SHOULD NOT INCLUDE THESE TAXES, See "Exemptions to Rights" No. 10 on inverse based for details. TAX EXEMPT (Unless otherwise indicated) Materials, Sepalies, Zazigment or Services Consider Cale 1-unit onl-Four (4) or Five (5) New 1978 or 1979 Single Axle Heavy Duty 31,995. Dump Truck, Front Mounted Snow Plow, Hydraulic "V" Box Material Spreader, Crankshaft P.T.O. Hydraulic System as per attached Specifications. Alternate #1 Four (4) or Five (5) Underbody Mounted Snow Scraper as per (None) attached Specifications. All Specification & Questionnaires must be fully completed for consideration. Alternate Bid No. 1 Affirmative Action: Attached:

	1				-				 				
Bid Bond	required	000	H		50		_ Performance		TIN				
Terma	%	cash	discount	if paid			from deliver		ance of g	госда с	r comple	etton o	i services
						PROPO	SAL OR BI	D					

Is compliance with the above invitation for this and movies to all conditions through the understand offers and arraws, if this bid he accorded within a reasonable time from case of some in the fraction are not sided to these are reader not service to some the accordance with the readinational area in the process or sometice state. Here,

Delivery of any or all of the items or completion of services indicated shall be made within a days from receipt of order

EMPORTANT As delivery any he according topour the award of an error, it is important that blokes

Sign Zores	
Hite Equipment Repair, Inc.	
Jerry Greenice V.P.	
1521 W. Jefferson St.	\
D1	8-22-7

Page 1 of 17

Data August 3, 1978

Ref. No. \_\_853

Date wanted .

Appropriation No. .

bung

	Year: 1978	Make: U	Uni-Mog Model MB/ 494
1.	Wheel Base:	93 3/4 "	
2.	Cab to Axle:	86"	
3.	Front Axle:	7715 lbs.	t.
4.	Front Springs:	Coll Springs	
5.	Rear Axle:	7715 lbs.	
6.	Rear Springs:	Coil with load s	stabilizers
7.	Auxiliary Springs:	Stabilzed	
8.	Brakes:	Four wheel inter	rnal expanding shoe and drum type air over hydraulic
9.	Compressor:	Yes	
10.	Hood:	Can be opened fr	rom the back as well as from the front.
11.	Fresh Air Heater a	nd Defrosters:	Standard
12.	Windshield Wipers	and Washers:	Stenderd
13.	Cab grab handles:		Standard
14.	Dual West Coast Mi	rrors:	Standard
15.	Air Horn:		Optional not included in the price
16.	Bostrom Driver Sea	t:	Standard
17.	Individual Passeng	er Seat:	Standard
18.	Automatic Radiator	Shutters:	Not used
19.	H.D. Radiator:		Standard
20.	Alternator:		55 Amo.
21.	Batteries:		110 AH 12 Volt
22.	Tachometer and Hou	r Meter:	Standard
23.	Diesel Engine:		Mercedes-Benz OM 352 346 Cu. Inch.
24.	Evaporator:		Standard
25.	Alarm system or eq	ual:	None

26.	Muffler:	Under body
27.	Reinforced Frame:_	Standard
28.	Crankshaft:	. Heavy duty completely sealed
29.	Bumper:	Standard
30.	Step Tanks:	Under body design
31.	Power Steering:	Standard
32.	Tires:	12.5 x 20 10 Pjy.
33.	Transmission:	8 Speed Forward and Reverse
34.	Cast Wheel:	Pressed Steel
35.	Seals:	Completaly sealed drive train
36.	Service Manual:	Furnished
37.	Line Set Ticket:	Furnished
38.	Tow Hooks:	Standard
39.	Color:	Yellow and Black .
40.	Minimum 23" ground	clearance for underbody: WAX No bidding the underbody
	blade.	
41.	Blade installation:	

#### Dump Body

The Dump Body furnished under these Specifications shall have the following minimum Specifications.

- Length 10 ft.
- 2. Width 7 ft.
- 3. Capacity 5 Cu. Yd. with 6 Cu. Yd. ends
- 4. Hoist 14 Ton
- 5. Shield 1/2 Cab
- 6. Color Omaha orange
- 7. Clearance lights, reflectors and flaps to be included

	1ear: 1970	Make: Fontaine Model: 0-200
1.	Length:	81
2.	Width:	616"
3.	Capacity:	3 Cu. Yard front and back
4.	Hoist:	7 Ton capacity Hydraulic
5.	Shield:	Full Cab
6.	Color:	Yellow
7.	Clearance lights,	reflectors and flaps to be included: Standard equipment

Year:	1978	Make:_	Highway	Equipmento Co	del:	Model	- P
Body:	Hygrade s	teel, 8' hody	lenghh, b	ody width	is 78",	body heigh	t is 117¥,
Di-	Hopper is	2½ Cu. Yard,	rear of h	opper has	an adju:	stable gate	
Conveyor:	Unkown						
Chain:	11						
Spinner:_	и .						
Hydraulic	System:	11 GPM					
		•					
Drive:		Hydraulic					
Accessori	es:	What ever re	quested.				

#### Front Mounted Snow Plow

The Snow Plow Furnished Under These Specifications Shall Have The Following Minimum Specifications.

- 1. Moldboard length 10 ft.
- 2. Moldboard height 36 In.
- 3. Moldboard thickness 10 Ga.
- 4. Cutting edge 1/2 In. x 6 In. x 9 ft. Standard A.S.H.O. Punch
- 5. Number and thickness of ribs 8 ribs 1/8 In. x 3 In.
- 6. Bottom reinforcing angle 5/8 In. x 3 In. x 4 In.
- 7. Top reinforcing angle 3/8 In. x 2 1/2 In. x 2 1/2 In.
- 8. Semi-circle 3/8 In. x 3 1/2 In. x 3 1/2 In.
- 9. Number and size of hinge points 4 of 1 In. dia.
- 10. Outside demension of hinge spread 77 In. min.
- 11. Two H.D. adjustable trip springs in protective steel cylinders
- 12. H.D. rubber snow shield

D

Warranty:

- 13. Screw adjustable ballbearing wheel with 4.80 x 8 In. 6 ply pneumatic tires on a swivel caster
- 14. Plow hydraulically adjustable to 7 plowing positions with 2 cylinder cab control
- 15. Weight plow only approximately 1500 lbs.

1 - Year

The plow shall be mounted to the front bumper with a 34 In. wide root quick hitch or equal. Reinforcing shall be at the bumper and truck frame. No attachment to the front axle will be permitted. The plow hitch shall be operated by its valve in the truck cab.

gre will	be permitted.	The plow	hitch	shall	be	operated by	ıts	valve	in the	truck c	ab.
							(P	rice i	ncluded	in Truc	k Bid)
						Total Price	One	(1) Ur	it:	\$	
						Less Tax:				\$	
						Less Discour	nt:			\$	
						Net Price O	ne (1	L) Unit	::	\$	
						Grand Total	Four	c (4) I	Jnits:	\$	
						Grand Total	Five	e (5) [	nits:	\$	
elivery:_	45 Doys										

	Year: 1978 Make: Schmidt Model: K-3							
1.	Moldboard length: 8'6"							
2.	Moldboard height: 47"							
3.	Moldboard Thickness: 10 Ga							
4.	Cutting edge: ½ X 6" X 8'6"							
	Number and thickness of ribs: Not Given							
	Bottom reinforcing angle: 5/8 In. X 3 in. X 4 In.							
7.	Top reinforcing angle: Not Given							
8.	Semi-circle: Not Given							
	Number and size of hinge points: 4 of 1 Inch. Die.							
	Hinge Spread: Not Given							
11.	Adjustable trip springs: None							
	H.D. rubber snow shield: Optional							
13.	Wheel & Tires: Caster Wheels							
14.	Adjustable hydraulic plow: V-Plow							
15.	Weight - plow only: Approximately 1000 #							

## Memorandum

To Henry P. Wehrenberg, Board of Works

Date September 1, 1978

From \_ Gerald P. Neu, Street Commissioner

Subject Truck Bid

COPIES TO:

On August 24, 1978, at the City of Fort Wayne Purchasing Department bids were opened for 4 or 5 new single axle heavy duty dump trucks complete with front snow plow, under body blade and salt spreader. Bidding was Allen County Motors, 2300 West Jefferson Street, Fort Wayne, International Harvester, Fort Wayne, and the Hite Equipment & Repair, 1321 West Jefferson, Plymouth, Indiana.

If I may, I would like to take this opportunity to recommend for use by the Street Department 4 Units from Allen County Motors which had the low bid of \$160,281.32. I would also like to recommend the purchase of one Case 4 wheel drive tractor with front "Y" plow from Hite Equipment & Repair at a cost of \$31,995.00.

Gerald P. Neu, Street Commissioner

GPN:isf

FORM DP-3 APPROVED BY THE STATE BOARD OF ACCOUNTS FOR THE CITY OF FORT WAYNE 1965.

## CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES NUMBER ONE EAST MAIN STREET ROOM 470 FORT WAYNE, INDIANA 46802

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS ETC. TO:

Street Department 1701 South Lafayette Street Fort Wayne, Indiana 46803

> Allen County Motors, Inc. 2300 West Jefferson Blvd. Fort Wayne, Indiana 46804

DELIVER TO:-DEPARTMENT OR DIVISION\_

City Controller

Per

Street Department

QUANTITY

1701 South Lafayette Street Fort Wayne, Indiana 46803

ADDRESS CASH DISCOUNT TERMS % IF PAID WITHIN DAYS FROM DELIVERY AND ACCEPTANCE OF GDOOS OR PERFORMANCE OF SERVICES. (DEDUCTION FOR DISCOUNT SHOWN BELOW) PURCHASE ORDER NUMBER 03058

September 1, 1978

REF. NO. REQ. NO. 4632

DATE

THE ABOVE INFORMATION MUST APPEAR ON ALL INVOICES, BILLS OF LADING, DELIVERY TICKETS, PACKAGES AND CORRESPONDENCE. INVOICE IN DUPLICATE. THIS PURCHASE ORDER ISSUED BY;

Purchasing Dept. DEPT

OATE WANTEO As soon as Possible

PRICE

AMOUNT

APPRDPRIATION } See Below ANO FUNO NUMBER

	DRDEREO	1 1		PRICE	
			TAX EXEMPT (UNLESS OTHERWISE INDICATED)		
COMPLIANCE WITH THE OELIVERY OATE REQUESTED WILL A- VOIO "FOLLOW UP" CORRESPONDENCE.	4		1979 Ford Model L8000 Single Axel Heavy Duty		
			Dump Truck Equipped With Front Mounted		
NOTE			Snow Plow, Hydraulic "V" Box Material		
₩			Spreader And Crankshaft P. T. O. Hydraulic		
READ INSTRUCTIONS ON			System, Including Dump Bodies With		
ORDER			Underbody Snow Scrapers	40,070.33	3
HE CONTRACTOR DR ENODR, BY ACCEPT- NG THIS DRDER, A-			Total		3160,281.3
EES TO THE GEN- TAL CONDITIONS AND RMS OF AGREEMENT			Bid Reference Number 853 of 8/3/78		
THE BACK OF THIS	•		Delivery ninty (90) to 180 days A. R. O.		
NLESS OTHERWISE			belivery minty (50) to 160 days A. R. O.		
HOWN INCLUDE ALL HARGES FOR OELIV-			Account Number - 34-475-700 \$129,000.00		
RY, PACKING, ETC., ECESSARY TD COM- LETE DELIVERY TD			Account Number - 28-880-722 \$ 31,281,32		
ESTINATION SPECI-			Account Number - 20-000-122 \$ 31,201.52		
			Subject to Councilmanic Approval		
NLESS DTHERWISE IOCATED THE PRICES HOWN DO NOT INCLUDE AXES DF ANY KINO.					
XEMPTION BLANKS VILL BE FURNISHED VHEN NECESSARY.					
INO. SALES TAX XEMP. CERTIF. ND. 34508					
F THIS DROER COES NOT AGREE WITH YOUR SUDTATION KINOLY TETURN IT WITH AN EXPLANATION.	,		RFB/lje		

MATERIALS, SUPPLIES OR SERVICES

ERED BY UNENCUMBERED BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFOR HAS BEEN DULY AUTHORIZED AND APPROPRIATED.

FILE IN THIS OFFICE.

Director of Purchases

Per

FORM DR-3

### CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES NUMBER ONE EAST MAIN STREET ROOM 470 FORT WAYNE, INDIANA 46802

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS ETC. TO:

Street Department

1701 South Lafayette Street Fort Wayne, Indiana 46803

Hite Equiptment Repair Inc. 15210 West Jefferson Street Plymouth, Indiana 46563

DELIVER TO:-

ADDRESS

City Controller

Per

DEPARTMENT Street Department

1701 South Lafayette Street Fort Wayne, Indiana 46803

CASH DISCOUNT TERMS % IF PAID WITHIN OAYS FROM DELIVERY AND ACCEPTANCE OF GOODS OR PERFORMANCE OF SERVICES. (DEDUCTION FOR DISCOUNT SHOWN BELOW)

PURCHASE ORDER NUMBER 03059 4 -

DATE September 1, 1978 REF. NO.

REQ. NO.

APPROPRIATION

AND FUND

NUMBER

THE ABOVE INFORMATION MUST APPEAR ON ALL INVOICES, BILLS OF LADING, DELIVERY TICKETS, PACKAGES AND CORRESPONDENCE. INVOICE IN DUPLICATE.

THIS PURCHASE ORDER ISSUED BY

Purchasing Dept.

OATE As soon as possible

28-880-722

AMOUNT

UNIT QUANTITY MATERIALS, SUPPLIES OR SERVICES TAX EXEMPT (UNLESS OTHERWISE INDICATED) COMPLIANCE WITH THE OELIVERY DATE REQUESTED WILL A-VOID "FOLLOW UP" CORRESPONDENCE. 1 1978 Uni - Mog Model MB-494 Case Four Wheel Drive Tractor with Front "V" Snow Plow \$31.995.00 NOTE Per Bid Reference Number 853 of 8/3/78 J READ Delivery - Forty-Five (45) Days INSTRUCTIONS ON THE BACK OF THIS ORDER Subject to Councilmanic Approval THE CONTRACTOR OR VENOOR, BY ACCEPT-ING THIS ORDER, A-GREES TO THE GEN-ERAL CONDITIONS AND TERMS OF AGREEMENT ON THE BACK OF THIS ORDER. UNLESS OTHERWISE MOICATEOTHE PRICES SHOWN INCLUDE ALL CHARGES FOR OELLV-ERY, PACKING, ETC., NECESSARY TO COMPLETE OELIVERY TO DESTINATION SPECIFIED. UNLESS OTHERWISE INDICATED THE PRICES SHOWN OO NOT INCLUDE TAXES OF ANY KING. WILL BE FURNISHED WHEN NECESSARY. INO. SALES TAX EXEMP. CERTIF. NO. 34508 IF THIS ORDER OOES NOT AGREE WITH YOUR QUOTATION KINDLY RETURN IT WITH AN EXPLANATION. RFB/1je

I HEREBY CERTIFY THAT THE COST OF THE ABOVE PURCHASE IS FULLY COV-ERED BY UNENCUMBERED BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFOR HAS BEEN OULY AUTHORIZED AND APPROPRIATED.

HEREBY CERTIFY UPON MY OWN PERSONAL KNOWLEDGE THAT THIS ORDER S AUTHORIZED BY A PROPERLY EXECUTED AND APPROVED REQUISITION ON FILE IN THIS OFFICE.

THE RESERVED A METHOD OF THE PARTY COMP. LITTLE IN MISA

Director of Purchases

Per

ORIGINAL (1)

TILL OF OADINANCE SPECIAL ORDINANCE - CIVIL CITY P. O. NOS. 4-03057, 4-03058, 4-03059

DEPARTMENT REQUESTING ORDINANCE BOARD OF PUBLIC WORKS 2-78-09-38
SYNOPSIS OF ORDINANCE CIVIL CITY PURCHASE ORDER NO. 4-03057 - ERNST TRUCK EQUIPMENT, FOR TWO
1977 DUMP BODIES IN AMOUNT OF \$7,566.40, CIVIL CITY PURCHASE ORDER NO. 4-03058 - ALLEN COUNTY
MOTORS, INC. FOR FOUR 1979 FORD HEAVY DUTY DUMP TRUCKS EQUIPPED WITH FRONT MOUNTED SNOW
PLOWS, SPREADER, CRANKSHAFT P.T.O. HYDRAULIC SYSTEM, \$160,281.32; AND CIVIL CITY PURCHASE
ORDER NO. 4-03059, HITE EQUIPMENT, INC. FOR ONE 1978 UNI-MOG MODEL MB-494 CASE FOUR WHEEL
DRIVE TRACTOR WITH FRONT "V" SNOW PLOW IN AMOUNT OF \$31,995.00 . ALL OF THE ABOVE FOR THE USE
OF THE STREET DEPARTMENT.
(PURCHASE ORDERS AND MEMORANDUMS ATTACHED)
(PRIOR APPROVAL REQUESTED SEPTEMBER 5, 1978)
FFECT OF PASSAGE ACQUISITION OF NEEDED EQUIPMENT TO CLEAR CITY STREETS FOLLOWING SNOWFALL
THIS COMING WINTER
EFFECT OF NON-PASSAGE WILL NOT HAVE THE TRUCKS SNOW PLOWS AND ACCOMPANYING EQUIPMENT TO BATTLE
SNOW COVERED STREETS THIS WINTER
,
MONEY INVOLVED (DIRECT COSTS, EXPENDITURES, SAVINGS) P. O. NO. 4-03057, \$7566.40 FROM MVH FUNDS
P. O. 4-03058, \$129,000.00 FROM ACCOUNT NUMBER - 34-475-700 & \$31,281.32 FROM ACCOUNT NUMBER
28-880-722; P. O. 4-03059, \$31,995.00 FROM MVH FUNDS
ASSIGNED TO COMMITTEE
TO A VITTO PER PROPERTY OF THE